




At utilisation of the nominal torque a verification of the flange connection is necessary.



Standard flange  
end number: 0.120.XX0



Larger flange  
end number: 0.120.XX1



Shorter flange to short type I

Cross Units, Roller bearing version




	Standard version Roller bearing	Version suitable for external lubrication Roller bearing
<b>Order number</b>	<b>0.120.015</b>	<b>0.120.016</b>
A	mm 152	mm 152
B	mm 57	mm 57
C	mm 40,9	mm 40,9
Snap rings included	mm J 57 x 2	mm J 57 x 2
Weight	kg 4,19	kg 4,21

β\* = Maximum angle of deflection per joint  
X = Preferred extension (larger extension available up to approx. 9 x spline o. D.)

Fixed joint

Slip joint (sliding sleeve type)



Please indicate compressed length „S“, extension and required type of flange when ordering!

	Roller bearing version							
	without extension				larger extension			
<b>Order number</b>	<b>0.120.050</b>	<b>0.120.051</b>	-	-	<b>0.120.070</b>	<b>0.120.071</b>	-	-
Angle of deflection β*	30	30	-	-	30	30	-	-
Weight	16,47	18,54	-	-	30,88	32,95	-	-
Flange-Ø	180	225	-	-	180	225	-	-
S	201	201	-	-	448/(486)	448/(486)	-	-
X	-	-	-	-	110	110	-	-
Y	30	30	-	-	30	30	-	-
Z	98,25	98,25	-	-	98,25	98,25	-	-
Spline dim. DIN 5480	-	-	-	-	75x2,5x28	75x2,5x28	-	-
Number of flange holes	10	8	-	-	10	8	-	-

\* Please refer to point 6.7 of the technical attachment.

The dimensions Z, Y and S will be changed within a product change. Please contact us for further questions.